


常用建筑石材



^ _

i ¢ ¤ % € ž :



¤ ž ¢ ¥ ! | | § “ … © 3 ª « ! ¬ – ” ® | ‘ h ! ` - °

± R ² ³ ´ † µ Z ¶ . T

ž h


1 ° - ž % » ¼ ž % ½ ¾ ž % ž Å ž 4 Å



Å h x ž R c Å 3 ^ _ i Ä ! ! Å Æ h x ž 3 Ç È c È
· 3 È 3 ! È I l í · h 3 l k i z · z · h 3 n ~ z i ~ D
· T

N Ø

1 Ø Ø ž % Ø Ø ž 4 ×



Ø ^ K \] Ü Ú x ž Ü ^ _ ! Ü Y p B à 3 á â ä 5`
å ž ± Ø ^ W H R æ' ç Z ^ _ 3 · h ! l è é ® I · h 3 ®
+ T

æ H · h % æ H ^ _ ê è % R æ i í ê è 3 i í 1 ð x
ñ ò • - h ó 0 3 Ý l n ~ ô ö % % o R 4 Z i í ê è 3
R æ! ö ÷ R æ 3 i í ä ä T



æH · h % æH ^ _ ê è % R æi í ê è 3 i ï 1 øx
ñ ò ù • - ' h 3 æH ê è ^ _ ú ! û ü i í ê è 3 R æ!
ö ÷ R æ3 i ï ä ä T




自然面错位拼 自然面错位拼 蘑菇面错位拼 蘑菇面错位拼 蘑菇面跳色错位拼 蘑菇面随机拼位拼



抛光面错位拼 曲面错位拼 曲面错位拼



æH h % R æ^ _ e e % R æi i e e 3 i i 1 yx




R æH h > % R æi i e e 3 i i 1 bx



g y O Z _
· h + 3 á â 1 î ï x
· h Ÿ l ® ° % n ~ 6 ! + 3 T ~
| · h ! / 3 + á â ! Ü % o x ž ü
3 A " 5 ~ Ÿ l Z n ~ B 3 · h ! | % o 3 + á
â ! Ä + f + ° T

B 3


å ž 3 ' > ã ä ! # T




+ ¶ f



+ ¶ | 3 • - q ' 3 . ! ' h ! h |
þ ! ² æå ž ! " # U V q 3 å ž + | Ø ^ ý
¶ . % Š q s 3 ¶ . T å ž ' + 3 r s p " !
s ` a 4 ! ^ 3 ' h ¶ . !
R S ! å ž - ° w T
†



Å å ž ! 3 ¶ · 3 · h + ! ®
 h ó O ï ! Ø ^ TM ! Å / fi ` - ° ± ^ C T
 Øx TM †
 Øx \$ †
 ýx ç " 3 ž + †
 þx % 3 3 ž + †
 • - h 3 ~

种类	适用范围	质量要求	外露表面凹入深度	全砌面表面凹入深度	厚度、宽度	长度	图例
毛石 (片石)	基础、勒脚、墙身、挡土墙、护坡、道路垫层	采不经加工，外形不规则、中部厚达要求	—	—	≤150	—	
块石	基础、勒脚、墙身	外形大致方正、上下面大致平正、其余四侧面打棱锋锐角	—	≤25	均≥200	<厚×1.3~3	
粗料石	墙身、墙台、扶石、饰面石料	外形方正、六面体、尺寸按设计要求	≤20	≤20	均≥200	<厚×4	
半细料石	墙身、勒脚、外部饰面	较细加工方正、六面体	≤10	≤15	均≥200	<厚×4	
细料石	要求较高门厅、墙身、勒脚、扶石、外部饰面	较细加工方正、六面体	≤2	≤10	均≥200	<厚×4	
条石	墙面、地面、柱面、栏杆	外形方正、六面体、尺寸按设计要求	≤10		250-500×200-400	2000-4000	
石板	墙面、地面、柱面墙身	尺寸按设计要求	≤10		100-180250-400	1800-3600	
卵石	墙身 地面、外部 饰面	采不经加工，外形不规则、			尺寸按设计要求	施工	

+ h 3 d ï 3
 } ~ _ • - h d d Å ï ï Å H
 j Å ~ | ñ ~ | } ~ _ 3 - p " %o @
 ` w w/ ~ ï ð · h Z \$ ž J W R #
 { \$ ž %o Ø W V # „ ï
 ž d ~ Ü ± a ý — v !
 ž d ~ Ü ± a ý — v !

\$ \$



• - ' h 3 ^
· . . ð ð ð ± ž ê ! . #
` —Ú ! ¶ · | T # ī ž ^ ! ¶ ø %oT
° " † ž + h " ý ý
ý ð
ð ð
ð ð
ð ð
¹ œí " " ^ í " ī ^ ! ± 7 ×
° " † ž
" "

WH ☒ ž " , Ñ € % Ñ € % Ö € % Ö € % » ¼ ž

W Ø . " 1 a × % ðý 1 ¶ × %
ð Ø Á
¿ Á . " 1 a × % ðý 1 ¶ × %
ð Ø 1 ×
ž + " 1 a × % ý 1 ¶ × % ð Ø
1 ×
fi , - ð Ø ý 1 ð ø ý ø × % - ð ø 1 ý þ×!
U V q + h ī ð T - + ī T
+ h ^ ¶ . " + ð ¶ ° " ø ¶ e \$ d ý ¶ ¿ Á
& ý ¶ ž Ł Ź ¶ Ü ± T
^ + ø ! ž h 1 ^ % U V q × ý ¶ % +
1 h % % + × ð ¶ T


同种石材、同种加工方式、不同排列方式的拼贴(1)




自然色差、错位拼



同种石材不同色、错位拼




纵向宽窄相隔错位拼




横向宽窄相隔错位拼

施工

豆丁灰










同种石材、同种加工方式、不同排列方式的拼贴 (2)










同种石材、不同种加工方式、不同排列方式的拼贴





抛光面+蘑菇面拼

豆丁施工



剁斧面+自然面错位拼

豆丁施工